

## INFORMATION REPORT INFORMATION REPORT

## CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

S-E-C-R-E-T

25X1

COUNTRY Hungary REPORT [REDACTED]  
 SUBJECT [REDACTED] DATE DISTR. 7 AUG 1957  
 Hungarian Ammunition Depot at Puzstavacs NO. PAGES 1  
 REQUIREMENT NO. RD  
 REFERENCES  
 DATE OF INFO. [REDACTED]  
 PLACE & DATE ACQ. [REDACTED]

25X1

25X1

PROCESSING COPY

SOURCE EVALUATIONS ARE DEFINITIVE. APPRAISAL OF CONTENT IS TENTATIVE.

28 AUG 1957 25X1  
 report concerning a  
 Hungarian ammunition depot at Puzstavacs, southeast of Budapest. The  
 report gives the location and size of the depot and describes its layout.

Although  
 the information is old, the report is being made available for what value 25X1  
 it may have.

ENCLOSURE ATTACHED  
 PLEASE ROUTE

25X1

S-E-C-R-E-T

25X1

STATE	ARMY	#X	NAVY	X	AIR	X	FBI	AEC						
(Note: Washington distribution indicated by "X"; Field distribution by "#".)														

## INFORMATION REPORT INFORMATION REPORT

## CENTRAL INTELLIGENCE AGENCY

This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C. Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law. 25X1

S-E-C-R-E-T

COUNTRY Hungary REPORT [REDACTED]  
 SUBJECT [REDACTED] DATE DISTR. 7 AUG 1957 25X1  
 Hungarian Ammunition Depot at Puzstavacs NO. PAGES 1  
 REQUIREMENT NO. RD  
 REFERENCES [REDACTED] 25X1  
 DATE OF INFO. [REDACTED] 25X1  
 PLACE & DATE ACQ. [REDACTED]

SOURCE EVALUATIONS ARE DEFINITIVE APPRAISAL OF CONTENT IS [REDACTED]

[REDACTED] report concerning a Hungarian ammunition depot at Puzstavacs, southeast of Budapest. The report gives the location and size of the depot and describes its layout. 25X1

Although the information is old, the report is being made available for what value it may have. 25X1

S-E-C-R-E-T

25X1

STATE	ARMY	#X NAVY	X AIR	X FBI	AEC						
(Note: Washington distribution indicated by "X"; Field distribution by "#".)											

**SECRET**

25X1

H U N G A R Y

MILITARY

Hungarian Ammunition Depot at PUSZTAVACS

1. The ammunition depot at PUSZTAVACS was constructed during 1951/1952 at the same place where the pre-war ammunition depot was built during 1939-1940. The latter was destroyed during the war.
2. The new depot stretches beyond the area of the original one in a north-easterly direction. It is situated 3,500 metres from the railway station of ORKENY, and the road to the depot branches off the main road from ORKENY to PUSZTAVACS.
3. The area of the depot is about 1600 metres by 1100 metres. At a distance of 150 - 200 metres from the entrance, on the right-hand side, are various buildings comprising the quarters of the commanding officer, living quarters for NCOs and other ranks, recreation centre and hospital, etc. The depot is guarded by one company of troops.
4. The depot is surrounded by two rows of barbed wire 30 metres apart, with trees and bushes between. At the four corners formed by the fences there are watch towers with search-lights.
5. The ammunition is stored along the sides of the various storehouses, the central floor space being left clear. Each storehouse has three entrances, and in front of each there are loading-ramps covered with concrete and 1.12 metres in height, so as to be level with the floor of the goods trucks used for loading.

**SECRET**

25X1

..... / .....

- 2 -

6. The various roads inside the depot which were built in 1951 - 1952 were so made as to allow the construction of a railway track alongside.

[REDACTED] The macadam road was constructed for medium weight traffic and has a basic layer of stone 18 centimetres thick. On this are 12 centimetres of coarse gravel topped with 2 centimetres of fine gravel and 2 centimetres of sand (total thickness 34 cm). The thickness of the storehouse walls is 25 centimetres. The roof is composed of sections of pre-fabricated, reinforced concrete beams, covered with pre-fabricated reinforced concrete slabs with bricks. This is topped with two layers of bituminous gravel. The ceiling is covered with panels of reed plastered over.

25X1

7. In the period before the revolution light infantry ammunition was stored in this depot for rifles, sub-machine guns, anti-tank rifles, machine guns and mortars. Ammunition was first stored there in August 1952 when the depot was still not completed. It is still not complete, the projected railway-track having yet to be laid.

25X1

25X1

25X1

**Page Denied**

Next 4 Page(s) In Document Denied